



**PROIZVODNI
PROGRAM
ČANČE**

75 YEARS
SOLID AS COPPER



1.3

Proizvodni program
Čanče

Proizvodni asortiman linije za čanče čine čančići proizvedeni od CuZn30 trake na ekscentar presama za više kalibara, i to:

9x19 mm

Čanče kalibra 9x19 mm se proizvodi u tvrdom i mekom kvalitetu od CuZn30 trake sa tolerancijama navedenim u tabeli:

9x19 mm

The case cups for caliber 9x19 mm are manufactured in hard and soft temper from CuZn30 strip with tolerances as specified in the following table:

Product portfolio of the Case
Cups

The product portfolio within the case cups production line includes the case cups manufactured from CuZn30 strip on the eccentric presses for several calibres as follows:

Masa Weight	4.6 – 4.8 g
Ekscentričnost Eccentricity	0.06 mm
Visina Height	10.9 – 11.9 mm
Debljina danceta Dome thickness	3.10 – 3.30 mm

5.56x45 mm

Čanče kalibra 5.56x45 mm se proizvodi u tvrdom i mekom kvalitetu od CuZn30 trake sa tolerancijama navedenim u tabeli:

5.56x45 mm

The case cups for caliber 5.56x45 mm are manufactured in hard and soft temper from CuZn30 strip with tolerances as specified in the following table:

Masa Weight	7.1 – 7.4 g
Ekscentričnost Eccentricity	0.06 mm
Visina Height	13 – 14 mm
Debljina danceta Dome thickness	3.47 – 3.53 mm

7.62x39 mm

Čanče kalibra 7,62x39 mm se proizvodi u tvrdom i mekom kvalitetu od CuZn30 trake sa tolerancijama navedenim u tabeli:

7.62x39 mm

The case cups for caliber 7,62x39 mm are manufactured in hard and soft temper from CuZn30 strip with tolerances as specified in the following table:

Masa Weight	8.9 g	9.7 g
Ekscentričnost Eccentricity	0.06 mm	0.06 mm
Visina Height	13.6 – 14.6 mm	10.25 – 11.25 mm
Debljina danceta Dome thickness	2.95 – 3.15 mm	3.36 – 3.44 mm

7.62x51 mm

Čanče kalibra 7,62x51 mm se proizvodi u tvrdom i mekom kvalitetu od CuZn30 trake sa tolerancijama navedenim u tabeli:

7.62x51 mm

The case cups for caliber 7,62x51 mm are manufactured in hard and soft temper from CuZn30 strip with tolerances as specified in the following table:

Masa Weight	13 g	13.5 g
Ekscentričnost Eccentricity	0.06 mm	0.06 mm
Visina Height	15.7 – 16.5 mm	16.5 – 17.5 mm
Debljina danceta Dome thickness	3.66 – 3.74 mm	3.55 – 3.65 mm



KONTAKT
CONTACT

Valjaonica bakra Sevojno
Copper Mill Sevojno

Prvomajska 43
31205 - Sevojno, Srbija
Tel +381 (0)31 531 757
www.vbs.co.rs



Prvomajska 43 • 31205 Sevojno
+381 31 531 757 • office@vbs.co.rs • www.vbs.co.rs